

Generator

DG 7500



DURABLE

ECONOMICAL

DEPENDABLE DIESEL POWER PLUS

QUICK STARTS

EASY TO OPERATE



Kubota®

Generator DG 7500

TECHNICAL DATA

HEAVY DUTY DESIGN:

The heavy duty steel tubular frame and strong build protects the engine and alternator against damage. The base is attached to a rigid frame through vibration dampening rubber pads to reduce both noise and vibration.

RELIABLE AND DURABLE:

Ready to perform in even the toughest of working conditions, ideally suited to the rigors of rural and remote applications.

EFFICIENT:

Fitted with a Mecc Alte alternator the DG7500 produces less than 4% total harmonic distortion providing stable clean power. Max output 7.5 kVA. Backed by Kubota's KPC Dealer Network and a 12-month/1000-hour warranty, Kubota's NEW DG7500 stands a level above the rest.

OTHER FEATURES:

- Large-sized control panel enables easy and sure operation
- Full belt guarding
- Dual (manual and electric) starting systems

ENGINE

Type	Horizontal water-cooled 4-cycle diesel engine
Model	Kubota RT 140 DI
No. of cylinders	1
Bore x Stroke (mm)	97 x 96
Displacement (cc)	709
Maximum output (kW/rpm)	10.3/2400
Continuous rated output (kW/rpm)	9.2/2400
Lubricating oil	SAE # 40 API CF
Cooling system	Radiator
Fuel	Light diesel oil (SAE # 2-D)
Fuel tank capacity (L)	11



GENERATOR

Type	Brushless
Model	MECC ALTE S20 FS-130/A
Max. output (kVA)	7.5
Rated output (kVA)	7.0
Revolutions per minute (rpm)	3000
Frequency (Hz)	50
No. of poles	2
Power factor	1
Phase	1 Phase 2 Wire
Voltage (AC)	220
Insulation	Class H

DIMENSION AND WEIGHT

Width (mm)	597
Length (mm)	1283
Height (mm)	703
Net weight (dry) (kg)	275

The company reserves the right to change the above specifications without notice. This brochure is for descriptive purposes only.



Contact your local dealer or visit kubota.com.au